

Report Number :

VNMT17025688-REV1



ORIGINAL

## TEST REPORT


NUMBER : VNMT17025688-REV1  
DATE : 14-Jul-2017APPLICANT : FORTUNE GLOBAL CO., LTD  
D20/4B, VO VAN VAN STREET, HAMLET 4, VINH  
LOC B WARD, BINH CHANH DISTRICT, HO CHI  
MINH, VIET NAMTHIS IS TO SUPERSEDE REPORT  
NO. VNMT17025688  
DATED 04-Jul-2017

Sample Description : Three (03) Pieces Of Submitted Interlining  
M6122F-M6118F Sample  
Fiber Content : 100% Polyester  
No. Of Sample : 03 Pieces  
Buyer Name : -  
Style Number : -  
Order No : -  
Color : (A)Black, (B)White, (C)Charcoal  
Article No. : -  
Country of Origin : Taiwan  
End Use : Women Coat  
Goods Exported To : UK  
Manufacture's Name : Fortune Global Co., Ltd  
Date Received/Date Test Started : 28 Jun 2017  
Date Confirmation Received : 30 Jun 2017

---

**TEST CONDUCTED : AS PER THE REQUEST OF THE APPLICANT. FOR FURTHER DETAILS PLEASE  
REFER TO ENCLOSED PAGE(S)**

---

AUTHORIZED BY  
FOR INTERTEK VIETNAM LTD. [HO CHI MINH]  
PHUONG LE  
SOFTLINES GENERAL MANAGER

(THIS REPORT SHALL NOT BE REPRODUCED WHOLLY OR IN PARTS WITHOUT WRITTEN APPROVAL FROM THE LABORATORY)

Intertek Vietnam Ltd.

Page 2 of 7

Hochiminh office: 5th,6th,7th floor, Lobby D, S.O.H.O Biz Office Building, No. 38 Huynh Lan Khanh St., Ward 2, Tan Binh District, Ho Chi Minh City, Vietnam.  
Tel : (84-28) 62971099 Fax : (84-28) 62971098 Email : consumergoods.vietnam@intertek.com  
Hanoi office: 3rd floor, Au Viet Building, No. 01 Le Duc Tho Street, Mai Dich Ward, Cau Giay District, Hanoi, Vietnam.  
Tel : (84-24) 37337094 Fax : (84-24) 37337093 Website : www.intertek.com

**TEST REPORT**

NUMBER : VNMT17025688-REV1

DATE : 14-Jul-2017

TEST CONDUCTED (AS REQUESTED BY THE APPLICANT)

**1. Phthalate Content**

EU Phthalate Directive 2005/84/EC

Result

N/A

REMARK:

N/A = Not Applicable

**2. Total Lead (Pb) Content**

. Acid Digestion Method Was Used And Total Lead Content Was Determined By Inductively Coupled Argon Plasma Spectrometry

Tested Components:

Result (ppm)

(1/2/3)

&lt;20

REMARK:

&lt; = Less Than

ppm = part per million = mg/kg

Test Components:

- (1) Black Textile Interlining (Sample A)
- (2) White Textile Interlining (Sample B)
- (3) Charcoal Textile Interlining (Sample C)

**3. Formaldehyde Release**

BS EN ISO 14184-2 : 2011

Tested Components

Result (ppm)

(1/2/3)

N

REMARK:

N = Not Detected

ppm = part per million = mg/kg

Detection Limit = 5 ppm

Test Components:

- (1) Black Textile Interlining (Sample A)
- (2) White Textile Interlining (Sample B)
- (3) Charcoal Color Textile Interlining (Sample C)

(THIS REPORT SHALL NOT BE REPRODUCED WHOLLY OR IN PARTS WITHOUT WRITTEN APPROVAL FROM THE LABORATORY)

**Intertek Vietnam Ltd.**

Page 3 of 7

Hochiminh office: 5th,6th,7th floor, Lobby D, S.O.H.O Biz Office Building, No. 38 Huynh Lan Khanh St., Ward 2, Tan Binh District, Ho Chi Minh City, Vietnam.  
Tel : (84-28) 62971099 Fax : (84-28) 62971098 Email : consumergoods.vietnam@intertek.com  
Hanoi office: 3rd floor, Au Viet Building, No. 01 Le Duc Tho Street, Mai Dich Ward, Cau Giay District, Hanoi, Vietnam.  
Tel : (84-24) 37337094 Fax : (84-24) 37337093 Website : www.intertek.com

TEST REPORT

NUMBER : VNMT17025688-REV1

DATE : 14-Jul-2017

**4. Formaldehyde Test**

BS EN ISO 14184-1 : 2011

Tested Component (1/2/3)	Result (ppm) N
-----------------------------	-------------------

REMARK:

N = Not Detected

ppm = part per million = mg/kg

Detection Limit = 5 ppm

Test Components:

- (1) Black Textile Interlining (Sample A)
- (2) White Textile Interlining (Sample B)
- (3) Charcoal Color Textile Interlining (Sample C)

**5. Detection Of Amines In Dyestuff**

Textile/Other: pr EN ISO 14362-1:2015, 4-AAB: ISO/DIS 14362-3:2015  
(pr EN ISO 14362-3:2015)

AMINES

<u>CAS-NO</u>	<u>RESULTS</u> (1/3) Method D
4-Aminodiphenyl	N
Benzidine	N
4-Chloro-O-Toluidine	N
2-Naphthylamine	N
O-Aminoazotoluene	N
2-Amino-4-Nitrotoluene	N
P-Chloroaniline	N
2,4-Diaminoanisole	N
4,4'-Diaminodiphenylmethane	N
3,3'-Dichlorobenzidine	N
3,3'-Dimethoxybenzidine	N
3,3'-Dimethylbenzidine	N
3,3'Dimethyl4,4'diaminodiphenylmethane	N
P-Cresidine	N
4,4'-Methylene-Bis(2-Chloroaniline)	N
4,4'-Oxydianiline	N
4,4'-Thiodianiline	N
O-Toluidine	N
2,4-Toluylenediamine	N
2,4,5-Trimethylaniline	N
O-Anisidine	N
4-Aminoazobenzene	N
2,4-Xylidine	N
2,6-Xylidine	N

(THIS REPORT SHALL NOT BE REPRODUCED WHOLLY OR IN PARTS WITHOUT WRITTEN APPROVAL FROM THE LABORATORY)

**Intertek Vietnam Ltd.**

Page 4 of 7

Hochiminh office: 5th,6th,7th floor, Lobby D, S.O.H.O Biz Office Building, No. 38 Huynh Lan Khanh St., Ward 2, Tan Binh District, Ho Chi Minh City, Vietnam.  
Tel : (84-28) 62971099 Fax : (84-28) 62971098 Email : consumergoods.vietnam@intertek.com  
Hanoi office: 3rd floor, Au Viet Building, No. 01 Le Duc Tho Street, Mai Dich Ward, Cau Giay District, Hanoi, Vietnam.  
Tel : (84-24) 37337094 Fax : (84-24) 37337093 Website : www.intertek.com

TEST REPORT

NUMBER : VNMT17025688-REV1  
 DATE : 14-Jul-2017

AMINES

CAS-NO

RESULTS

(1/3)

Method T

<u>AMINES</u>	<u>CAS-NO</u>	<u>RESULTS</u>
4-Aminodiphenyl Benzidine	92-67-1	N
4-Chloro-O-Toluidine	92-87-5	N
2-Naphthylamine	95-69-2	N
O-Aminoazotoluene	91-59-8	N
2-Amino-4-Nitrotoluene	97-56-3	N
P-Chloroaniline	99-55-8	N
2,4-Diaminoanisole	106-47-8	N
4,4'-Diaminodiphenylmethane	615-05-4	N
3,3'-Dichlorobenzidine	101-77-9	N
3,3'-Dimethoxybenzidine	91-94-1	N
3,3'-Dimethylbenzidine	119-90-4	N
3,3'-Dimethyl-4,4'-diaminodiphenylmethane	119-93-7	N
P-Cresidine	838-88-0	N
4,4'-Methylene-Bis(2-Chloroaniline)	120-71-8	N
4,4'-Oxydianiline	101-14-4	N
4,4'-Thiodianiline	101-80-4	N
O-Toluidine	139-65-1	N
2,4-Toluylenediamine	95-53-4	N
2,4,5-Trimethylaniline	95-80-7	N
O-Anisidine	137-17-7	N
4-Aminoazobenzene	90-04-0	N
2,4-Xylidine	60-09-3	N
2,6-Xylidine	95-68-1	N
	87-62-7	N

(THIS REPORT SHALL NOT BE REPRODUCED WHOLLY OR IN PARTS WITHOUT WRITTEN APPROVAL FROM THE LABORATORY)

**Intertek Vietnam Ltd.**

Page 5 of 7

Hochiminh office: 5th,6th,7th floor, Lobby D, S.O.H.O Biz Office Building, No. 38 Huynh Lan Khanh St., Ward 2, Tan Binh District, Ho Chi Minh City, Vietnam.  
 Tel : (84-28) 62971099 Fax : (84-28) 62971098 Email : consumergoods.vietnam@intertek.com  
 Hanoi office: 3rd floor, Au Viet Building, No. 01 Le Duc Tho Street, Mai Dich Ward, Cau Giay District, Hanoi, Vietnam.  
 Tel : (84-24) 37337094 Fax : (84-24) 37337093 Website : www.intertek.com

## TEST REPORT

NUMBER : VNMT17025688-REV1  
DATE : 14-Jul-2017

## REMARK:

N = Not Detected

Detection Limit = 5 ppm

ppm = part per million = mg/kg

## Tested Components:

- (1) Black Textile Interlining, 100% Polyester (Sample A)
- (2) White Textile Interlining, 100% Polyester (Sample B)
- (3) Charcoal Color Textile Interlining, 100% Polyester (Sample C)

Method T: Direct buffer extraction as per prEN ISO 14362-1 : 2015 Section 9.2

Method D: Colourant extraction with Xylene as per prEN ISO 14362-1 : 2015 Section 9.1

Component (2): White Fabric Is Exempted For Azo Dyes Testing.

## END OF THE TEST REPORT ##

*This report (including any enclosures and attachments) are prepared for the exclusive use of the Customer(s) named in the report and solely for the purpose for which it is provided and on the basis of instructions and information and/or materials supplied by Intertek's Customer. The test results relate only to the specific items tested and are not intended to be a recommendation for any particular course of action. Customer is responsible for acting as it sees fit on the basis of such results. Unless Intertek provide express prior written consent, no part of this report should be reproduced, distributed or communicated to any third party. Intertek do not accept any liability if this report is used for an alternative purpose from which it is intended, nor do Intertek owe any duty of care to any third party in respect of this report. Except where explicitly agreed in writing, all work and services performed is governed by Intertek Standard Terms and Conditions of Service which is available on request or can be obtained at <http://www.intertek.com/terms>.*

(THIS REPORT SHALL NOT BE REPRODUCED WHOLLY OR IN PARTS WITHOUT WRITTEN APPROVAL FROM THE LABORATORY)

Intertek Vietnam Ltd.

Page 6 of 7

Hochiminh office: 5th,6th,7th floor, Lobby D, S.O.H.O Biz Office Building, No. 38 Huynh Lan Khanh St., Ward 2, Tan Binh District, Ho Chi Minh City, Vietnam.  
Tel : (84-28) 62971099 Fax : (84-28) 62971098 Email : [consumergoods.vietnam@intertek.com](mailto:consumergoods.vietnam@intertek.com)  
Hanoi office: 3rd floor, Au Viet Building, No. 01 Le Duc Tho Street, Mai Dich Ward, Cau Giay District, Hanoi, Vietnam.  
Tel : (84-24) 37337094 Fax : (84-24) 37337093 Website : [www.intertek.com](http://www.intertek.com)

TEST REPORT

NUMBER : VNMT17025688-REV1  
DATE : 14-Jul-2017

To : FORTUNE GLOBAL CO., LTD  
D20/4B, VO VAN VAN STREET, HAMLET 4, VINH  
LOC B WARD, BINH CHANH DISTRICT, HO CHI  
MINH, VIET NAM

Date : Jul 14, 2017

---


Re : Report Revision Notification

Report Number VNMT17025688 date 04-Jul-2017

Reason For Revision : Added Test Detection Of Amines In Dyestuff As Per Applicant's Request.

Thank you for your attention.

AUTHORIZED BY  
For INTERTEK VIETNAM LTD. [Ho Chi Minh]



PHUONG LE  
SOFTLINES GENERAL MANAGER

**Intertek Vietnam Ltd.**

Hochiminh office: 5th,6th,7th floor, Lobby D, S.O.H.O Biz Office Building, No. 38 Huynh Lan Khanh St., Ward 2, Tan Binh District, Ho Chi Minh City, Vietnam.

Tel : (84-28) 62971099 Fax : (84-28) 62971098 Email : [consumergoods.vietnam@intertek.com](mailto:consumergoods.vietnam@intertek.com)

Hanoi office: 3rd floor, Au Viet Building, No. 01 Le Duc Tho Street, Mai Dich Ward, Cau Giay District, Hanoi, Vietnam.

Tel : (84-24) 37337094 Fax : (84-24) 37337093 Website : [www.intertek.com](http://www.intertek.com)